ENGINEERING DEPARTMENT UNIVERSITY OF DELHI

Ref no. UE/

/ DU/ M-61 (2016-17)

dated

Sealed percentage rate quotations are here by invited from Contractors enlisted with CPWD, MES, Railways and working

2/2/16

Contractors of Delhi University for the work" Minor repairs, grill gate, wire mesh and other misc works in staff quarter no.2 at PG Men hostel, University of Delhi, So as to reach the office of the Undersigned at 3.00 PM on dated 12.08.2016 19.08. 2016 S.No Description of item Qty Unit Amount Rate Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) 8008 4004 cum Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete. With 12 mm mild steel U beading 4.5 1317.55 5929 sq m Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete: 250x16 mm 166 1 each 166.2 Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete: 200x10 mm 235 58.65 no 150x10 mm 183 45.68 4 no Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete: 100 mm 6 158 each 26.4 Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works 200 kg 90.1 18020 Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 metres lead: With cement mortar 1:4 (1 cement: 4 fine sand) 40 247.8 9912 sqm Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of thickness 4 mm 690.7 691 sq m Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches 912 etc. complete 120 7.6 sq m Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work 50 48.5 2425 sq m Finishing walls with Acrylic Smooth exterior paint of required shade: Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface 20 67.3 1346 sqm

12	Distempering with oil bound washable distemper of approved brand and				
	manufacture to give an even shade :				
	New work (two or more coats) over and including water tinnable				
	priming coat with cement primer	120	sqm	89.7	10764
13	Repairing existing steel section windows includin changing hinges,				
	cutting, welding adjusting and making functional as per direction				
	given as site .	4	each	250	1000
14	Kota stone slab flooring over 20 mm (average) thick base laid over and				
	jointed with grey cement slurry mixed with pigment to match the shade of				
	the slab, including rubbing and polishing complete with base of cement				
	mortar 1:4 (1 cement: 4 coarse sand):				
	25 mm thick	27	sqm	1141.4	30818
15	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars				
	laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse				
	sand) and jointed with grey cement slurry mixed with pigment to match				
	the shade of the slabs, including rubbing and polishing complete.	3	sq m	1191.25	3574
16	Demolishing cement concrete manually/ by mechanical means including				
	disposal of material within 50 metres lead as per direction of Engineer - in				
	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	2	cum	892.7	1785
17	Disposal of malba or building rubbsih from site to out side the campus				
	by mechanical transport including loading and unloading etc complete	5	cum	300	1500
18	Providing and fixing hard drawn steel wire fabric 75x25 mm mesh of weight				
	not less than 7.75 Kg per sqm to window frames etc. including 25x4 mm				
	beading of m.s flat and priming coat with approved steel				
	primer all complete.	1.5	sq m	1118.1	1677.15
					91095

Conditions :-

- 1. The work is to be completed with 30 days
- 2. 2.00 % for El. + water charges will be deducted
- 3.CPWD Specifications will be followed
- 4. Rates should be quoted both in words & figures.
- 5. Undersingned reservers the authority to reject any or all the quotation without any reason therefore .
- 6. SC/ST Contractors shall enclosed copies of attested cast certificate other wise there quotation will be accepted.
- 7. Contractor shall enclosed the copy of Labour Licence Registration with ETFO, ESIC and BOCW welfare board other wise there quotation will not be accepted.

Executive Engineer

I hereby quote % rate above /below/ AT Par on estimated cost of Rs. 91095.00

Contractor

- 1. The Director computer center with a request to display the inviting quotation on the University of Delhi website.
- 2. Mrs. Kavita, JACT, for information and to ensure the display of the quotation on University website.
- 3. Section Officer -II
- 4. Notice Board

Executive Engineer