

# SCHOOL OF OPEN LEARNING

CAMPUS OF OPEN LEARNING

UNIVERSITY OF DELHI

DELHI-110007

**Name Of Work:** - Annual maintainance work at dhaka staff quarters.

Sealed quotations are hereby invited from the working contractors enlisted CPWD /MES / RAILWAY/Delhi University for above mentioned work so as to reach the undersigned by 03:00 PM on 12/09/2016. Blank quotation can be obtained from the general section, room no. 206, School of open learning, University of Delhi or downloaded from SOL/DU website [www.sol.du.ac.in](http://www.sol.du.ac.in) or [www.du.ac.in](http://www.du.ac.in) up to 12/09/2016 up to 01:00 PM. The quotations will be opened on 12/09/2016 at 4:00 PM.

## Miscellaneous civil works in Staff quarters at dhaka complex

S. No.	Description of Work	Qty	unit	Rate (Rs.)	Amount (Rs.)
1	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)				
		7.94	cum		
2	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge In cement mortar				
		7.94	cum		
3	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of thickness 4 mm				
		60	sqm		
4	40 mm thick marble chips flooring rubbed and polished to granolithic finish, under layer 34 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 12.5 mm nominal size) and top layer 6mm thick with white, black, chocolate, grey, yellow or green marble chips of sizes from 1 mm to 4 mm nominal size, laid in cement marble powder mix 3:1 (3 cement : 1 marble powder) by weight in proportion of 4:7 (4 cement marble powder mix : 7 marble chips) by volume, including cement slurry etc. complete :  4.1 Ordinary cement without any pigment				
		10	sqm		
5	62 mm thick cement concrete flooring with concrete hardener topping, under layer 50 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) and top layer 12mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate, 6mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacture's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.				
		10	sqm		
6	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 metres lead :  With cement mortar 1:4 (1 cement : 4 fine sand)				
		50	sqm		
7	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in charge				

Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)

1

cum

8	Providing and fixing 250 mm wide or of required size seismic belt for retrofitting with 12 SWG (2.64 mm dia galvanised iron welded mesh with 25mm spacing of wire shall be used on walls/ ceilings at required height (inside & outside the building) fixing in position with headed nails at required distance complete as per direction of Engineer-in-Charge (cut end of wire mesh to be painted with Nito Zink Primer)	20	sqm		
9	20 mm cement plaster 1:2 (1 cement : 2 stone dust) In two coats.	20	sqm		
10	<b>CEMENT PLASTER (IN FINE SAND):</b>				
10.1	12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand)	35	sqm		
10.2	15 mm cement plaster on the rough side of single or half brick wall of mix: 1:4 (1 cement: 4 fine sand)	35	sqm		
			<b>TOTAL</b>		
			<b>Say Rs.</b>		

**TERMS AND CONDITIONS:**

- 1 Work will be carried out as per CPWD specification Vol-1 and Vol-2 2009 for civil works.
- 2 Work should be completed within one month.
- 3 Rates should be quoted both in words and figures.
- 4 Should the work be not completed to the satisfaction of the SOL within the stipulated period, the contractor shall be bound to pay to the SOL, a sum calculated @0.5% of the contract value for per week of delay to a subject maximum of 10% of the contract value by way of liquidated damages during which time the work remains uncommenced or unfinished after expiry of completion date.
- 5 Water/electricity required for the work will be allowed to the contractor for use and 1.5% of the full cost of the work executed, will be recovered.
- 6 The contractor should visit the site before quoted their rates.
- 7 The contractor and his representative should be made available at the work site during the execution of work.
- 8 All materials to be used on the work shall be of reputed makes/ISI marked or as per the sample approved by the Monitoring Committee.
- 9 The contractor shall have to remove all debris and other unwanted material from the site of work, before handing over the site and nothing extra will be paid on this account. The work shall not be treated as complete in all respects unless these requirements are fulfilled by contractor. In the event of the contractor failing to do so, the executive director, SOL shall have the right to get the site cleared at the risk and cost of the contractor.
- 10 Payment will be made according to the measurement and after getting satisfactory report from the monitoring committee.
- 12 No extra payment will be made on account of Cartage, VAT and any other taxes.

Signature\_\_\_\_\_

Name of contractor\_\_\_\_\_

Address\_\_\_\_\_

\_\_\_\_\_

Phone No./Mobile No.\_\_\_\_\_

PAN No.\_\_\_\_\_

VAT No.\_\_\_\_\_

Bank Account Number\_\_\_\_\_

IFSC Code of the bank\_\_\_\_\_

Name & Address of the\_\_\_\_\_

\_\_\_\_\_

ASSISTANT REGISTRAR  
(General Section) Offtg.