

**ENGINEERING DEPARTMENT
UNIVERSITY OF DELHI
DELHI-110007**

Ref. No. UE/ 397

/DU/M-01 (2015-2016)

dated

11/1/16

NOTICE INVITING QUOTATIONS

Sealed percentage rate quotation are hereby invited from the contractor enlisted with CPWD, MES, Railways and working contractor of Delhi University for the work **"Repair of beams, chajja and distempering, painting the back gallery of Department of Salvonic & Finno Ugrain Studies at Tutorial Building, University of Delhi."** "So as to reach the office of the undersigned upto 3.00 P.M. on 15.1.16


Sl. No.	Item	Qty	Unit	Rate	Amount
1	18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) finished with a top layer 6 mm thick cement plaster 1:6 (1 cement : 6 fine sand).	10	sqm	Rs.	
2	P/F hard drawn steel wire fabric 75x25mm mesh of weight not less than 7.75 kg per sqm to window frame etc.	5	sqm	Rs.	
3	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	300	sqm	Rs.	
4	Distempering with 1st quality acrylic distemper (ready mixed) of approved manufacturer, of required shade and colour complete, as per manufacturer's specification. Two or more coats on new work	300	sqm	Rs.	
5	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	100	sqm	Rs.	
6	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 metres lead : With cement mortar 1:4 (1 cement : 4 fine sand)	10	sqm	Rs.	
7	Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration	80	sqm	Rs.	
8	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	3	cum	Rs.	
9	Centering and shuttering including strutting, propping etc. and removal of form for : Shelves (Cast in situ)	10	sqm	Rs.	
10	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Mild steel and Medium Tensile steel bars	80	kg	Rs.	
11	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size).	0.6	cum	Rs.	

12	Making chases up to 7.5x7.5 cm in walls including making good and finishing with matching surface after housing G.I. pipe etc.	10	metre	Rs.
13	Providing and applying birla / JK wall putty on wall surface (one or more coats) as required in thickness 1 mm i/c sand papering etc to prepare smooth as per direction of Engineer-in-charge.	200	sqm	Rs.
14	Providing and laying 30mm thick Micro concrete of approved brand and manufacture for strengthening the damaged RCC structure i.e. the cost of rust remover, bonding agent and centering and shuttering all complete.	10	sqm	Rs.

Total
Rs.

Condition:

- 1 The work should be completed in 40 days.
- 2 1.5 % watery charges will be deducted.
- 3 Rates should be quoted both in words & figures.
- 4 The contractor must visit the site before quoting his rates.
- 5 CPWD specification in force will be followed.
- 6 Contractor shall enclose copies of labour license registration with EPFO, ESIC and BOCW Welfare board otherwise their quotation will not be accepted.
- 7 Undersigned reserves the authority to reject any or all the quotation without assigning any reason therefore.


Executive Engineer

Undertaking:
I/we hereby undertake that my/our agency have not been black listed/debarred in any Govt. organization since last 3 years.

(Contractor)

Copy to:-

- 1 The Director, Computer Center with a request to display the Notice Inviting quotation on the Delhi University Website.
- 2 Sh. Vinod Kr. Jain, A.E. (C)
- 3 Mrs. Kavita, JACT to ensure the display of the quotation notice on University website.
- 4 Notice Board


Executive Engineer

Agency

Address

Contact no.